

MRI compatible video cameras - Publications

Bahrani P et al: Functional MRI-compatible laparoscopic surgery training simulator, *Magnetic Resonance in Medicine* 65 (2011) 873-881

Bigot A, Soulez G, Martel S: A Prototype of Injector to Control and to Detect the Release of Magnetic Beads within the Constraints of Multibifurcation Magnetic Resonance Navigation Procedures, *Magn. Reson. Med.*, 77 (2017), 444-452

Bilek E et al: Information flow between interacting human brains: Identification, validation, and relationship to social expertise, *PNAS* (2015) Vol 112, No 16, 5207-5212

Budell L et al: Mirroring Pain in the Brain: Emotional Expression versus Motor Imitation, *PloS One* (2015) 10

Cavina-Pratesi C et al: Functional Magnetic Resonance Imaging Reveals the Neural Substrates of Arm Transport and Grip Formation in Reach-to-Grasp Actions in Humans, *The Journal of Neuroscience*, August 4, 2010, 30(31):10306–10323

Chapman C S et al: Mental blocks: fMRI reveals top-down modulation of early visual cortex when obstacles interfere with grasp planning, *Neuropsychologia* 49 (2011) 1703–1717

Chaudhary U J et al: Implementation and evaluation of simultaneous video-electroencephalography and functional magnetic resonance imaging, *Magnetic Resonance Imaging* 28 (2010) 1192–1

Chouinard P A et al: FMRI adaptation during performance of learned arbitrary visuomotor conditional associations, *NeuroImage* 48 (2009) 696–706

Conolly J D et al: Coding of attention across the human intraparietal sulcus, *Exp Brain Res* (2016), 234, 917-930

Gallivan J P et al: Is That within Reach? fMRI Reveals That the Human Superior Parieto-Occipital Cortex Encodes Objects Reachable by the Hand, *The Journal of Neuroscience*, April 8, 2009, 29(14):4381– 4391

Gallivan J P et al: Decoding Action Intentions from Preparatory Brain Activity in Human Parieto-Frontal Networks, *The Journal of Neuroscience*, June 29, 2011, 31(26):9599 –9610

Gentile G et al: Disintegration of Multisensory Signals from the Real Hand Reduces Default Limb Self-Attribution: An fMRI Study, *The Journal of Neuroscience*, August 14, 2013, 33 (33): 13350-13366

Guterstam A et al: Decoding illusory self-location from activity in the human hippocampus, *Front. Hum. Neurosci.* (2015) 12, 412

Hung C C et al: Functional Mapping of Face-Selective Regions in the Extrastriate Visual Cortex of

the Marmoset, *The Journal of Neuroscience*, January, 21 (2015), 35 (3), 1160-1172

Hung C C et al: Functional MRI of visual responses in the awake, behaving marmoset, *Neuroimage* (2015), 120, 1-11

Karimpoor M et al: A computerized tablet with visual feedback of hand position for functional magnetic resonance imaging, *Front. Hum. Neurosci.* (2015) 9, 150

Kontaris I et al: Dissociation of extrastriate body and biological-motion selective areas by manipulation of visual-motor congruency, *Neuropsychologia* 47 (2009) 3118–3124

Kunz M et al: Cerebral Regulation of Facial Expressions of Pain, *The Journal of Neuroscience*, June 15, 2011, 31(24):8730–8738

Lawrence J M et al: A novel integrative method for analyzing eye and hand behaviour during reaching and grasping in an MRI environment, *Behav Res* (2011) 43:399–408

Leoné F T M et al: Flexible Reference Frames for Grasp Planning in Human Parietofrontal Cortex, *eNeuro* (2015), 2 (3)

Liu J V et al: fMRI in the awake marmoset: Somatosensory-evoked responses, functional connectivity, and comparison with propofol anesthesia, *Neuroimage* (2013), 78, 186-195

Mandelkow H et al., Linear discriminant analysis achieves high classification accuracy for BOLD fMRI response to naturalistic movie stimuli, *Front. Hum. Neurosci.* (2016) 10, 129

Mathieu J B, Martel S: Aggregation of magnetic microparticles in the context of targeted therapies actuated by a magnetic resonance imaging system, *J of Applied Physics* 106 (2009)

Menikou G, Yiallouras C, Yiannakou M, Damianou C: MRI-guided focused ultrasound robotic system for treatment of bone cancer, *Int J Robotics Comput Assist Surg*, 2016

Monaco S et al: Functional magnetic resonance adaptation reveals the involvement of the 2 dorsomedial stream in hand orientation for grasping, *J Neurophysiol* (July 27, 2011)

Monaco S et al: Functional Magnetic Resonance Imaging Adaptation Reveals the Cortical Networks for Processing Grasp-Relevant Object Properties, *Cerebral Cortex Advance Access* published January 29, 2013

Mylonas N, Ioannides K, Hadjisavvas V, Iosif D, Kyriacou PA, Damianou C: Evaluation of fast spin echo MRI sequence for an MRI guided high intensity focused ultrasound system for in vivo rabbit liver ablation, *J. Biomedical Science and Engineering*, 3 (2010), 241-246

Oosterhof N N et al: Surface-Based Information Mapping Reveals Crossmodal Vision–Action Representations in Human Parietal and Occipitotemporal Cortex, *J Neurophysiol* (2010), 104, 1077-1089

Osborne N R et al: The dissociation between command following and communication in disorders of consciousness: an fMRI study in healthy subjects, *Front. Hum. Neurosci.* (2015) 9, 403

Papoti D et al: An Embedded 4-Channel Receive-Only RF Coil Array for fMRI Experiments of the

Somatosensory Pathway in Conscious Awake Marmosets at 7T, *NMR Biomed* (2013), 26 (11), 1395-1402

Paret C et al: Down-regulation of amygdala activation with real-time fMRI neurofeedback in a healthy female sample, *Front Behav Neurosci* (2014), 8, 299

Pott P P et al: An MR-compatible device for automated and safe application of laser stimuli in experiments employing nociceptive stimulation, *Journal of Neuroscience Methods* 186 (2010) 1–7

Qin L et al: Prospective Head-Movement Correction for High-Resolution MRI Using an In-Bore Optical Tracking System, *Magnetic Resonance in Medicine* 62:924–934 (2009)

Russ B E et al: Functional MRI mapping of dynamic visual features during natural viewing in the macaque, *Neuroimage* (2015), 109, 84-94

Schmid M C: Blindsight depends on the lateral geniculate nucleus, *Nature* Vol 466, 5 July 2010

Snow J C et al: Bringing the real world into the fMRI scanner: Repetition effects for pictures versus real objects, *Scientific Report* (2011), 1, 130

Sörös P et al: fMRI-compatible registration of jaw movements using a fiber-optic bend sensor, *Frontiers in Human Neuroscience*, March 2010, Vol 4, Article 24

Sperandio I et al: Retinotopic activity in V1 reflects the perceived and not the retinal size of an afterimage, *Nature Neuroscience* (2012) Vol 15, 4, 540-,542

Spicher N et al: Heart rate monitoring in ultra-high-field MRI using frequency information obtained from video signals of the human skin compared to electrocardiography and pulse oximetry, *CDBME* (2015); 1:69-72

Spicher N et al: Initial evaluation of prospective cardiac triggering using photoplethysmography signals recorded with a video camera compared to pulse oximetry and electrocardiography at 7T MRI, *BioMed Eng OnLine* (2016), 15, 126

Valyear K F, Frey S H: Human posterior parietal cortex mediates hand-specific planning, *Neuroimage* (2015), 114, 226-238

Van Gelderen P et al: A Torque Balance Measurement of Anisotropy of the Magnetic Susceptibility in White Matter, *Magn Reson Med* (2015), 74(5), 1388-1396

Yiallouras C et al: Three-axis MR-conditional robot for high-intensity focused ultrasound for treating prostate diseases transrectally, *J Ther Ultrasound* (2015), 3, 2